



Home > Products > ProX Truss > F34 Conical Segments 2mm > Straight Segments , Pre-Rigging & Mobile Systems > > 10' FT Pre-Rig Truss Segment with Removable Rolling Base System BLACK

SKU: XT-PRERIG10FTBLK

Permalink: <http://www.proxdir.com/xt-prerig10ftblk>

[Search on Google](#)

## 10' FT Pre-Rig Truss Segment with Removable Rolling Base System BLACK

[Find A Dealer](#)

### Product Images



[Download Product Images](#)

### Our Products And You

Submit your story

### ProX XT-PRERIG10FTBLK 10' FT Pre-Rig Truss Segment with Removable Rolling Base System

#### Description

ProX **XT-PRERIG10FTBLK** 10' Ft. **Pre-Rig Rectangular Truss Segment with Removable Rolling Base System** This Pre-Rig Rectangular Truss Segment is a durable and versatile trussing system designed for professional use in the entertainment industry. This truss segment is made of high-quality T6-6062 Aluminum Alloy which provides excellent strength and rigidity.

**MIN HEIGHT: 36"**

**MAX HEIGHT: 44"**

**2" TUBING**

One of the standout features of this truss segment is its side-loading system. This system allows a single technician to easily prep a section of truss in the shop prior to shipping. This means that the truss can be quickly and efficiently assembled on-site, saving time and reducing labor costs.

The side-loading system also makes it easy to attach lighting and audio equipment to the truss. The system provides a secure and stable mounting point for equipment, ensuring that it stays firmly in place from transport to performances, and events.

Overall, this Pre-Rig Rectangular Truss Segment is an excellent choice for professional lighting designers, event planners, and musicians. With its durable construction, versatile design, and easy-to-use side-loading system, this truss segment is an essential tool for creating stunning visual displays and stage backdrops.

### Features

- Includes Removable rolling base system
- Provides stability during transport
- Ideal for Pre-Rigging Stage Lighting
- Made of high-quality T6-6052 Aluminum Alloy

### Exterior Dimensions & Weight

#### Exterior Dimensions & Weight

**WITH CONNECTORS:** 24.00"H x 41.00"W x 125.00"L - Weight: 210.00 lbs

**WITHOUT CONNECTORS:** 24.00"H x 41.00"W x 120.00"L - Weight: 180.00 lbs

#### Shipping Dimensions & Weight

**Box 1 of 1:** 16.00"H x 26.00"W x 122.00"L - Shipping Weight: 215.00 lbs

**Suggested Shipping Method:** LTL

#### UPC

804589618386

---

### Our Products and You

Submit your  
story

---

### Commonly Asked Questions

Ask a question

---

### Customer Testimonials

What did you think

---

### Related Products



#### 10' FT Pre-Rig Rectangular Truss Segment with Removable Rolling Base System

SKU: XT-PRERIG10FT



#### 8' FT Pre-Rig Rectangular Truss Segment with Removable Rolling Base System

SKU: XT-PRERIG8FT



#### 8' FT Pre-Rig Truss Segment with Removable Rolling Base System BLACK

SKU: XT-PRERIG8FTBLK



#### 5' FT Pre-Rig Rectangular Truss Segment with Removable Rolling Base System

SKU: XT-PRERIG5FT



**5' FT Pre-Rig Truss Segment with Removable Rolling Base System BLACK**

SKU: XT-PRERIG5FTBLK

---